



Justrite Safety Group

572 De-Flex™ Nitrile

Modular mat with dual locking connection



Ergonomic, Anti-fatigue & Safety Matting - Dry Areas Modular Matting

572 De-Flex™ Nitrile

Extremely comfortable heavy duty anti-fatigue matting system with popular diamond plate traction surface that can be easily assembled for coverage of large areas or individual workstation mats.

- Modular rubber tiles are designed with a universal double-locking system on all sides to ensure an extra strong yet seamless connection for fast installation
- The 19 mm thick platform insulates the worker from the hard ground while the bulleted domes underneath allow the mat to bend and flex with every movement
- Unique extended ramp prevents tripping and allows cart access with smart bevelling solutions for inside and outside corners
- Resistant to most industrial oils



Recommended use

- Wet/Dry and Oily Areas
- For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms
- Heavy duty

Colors:


- Black

Sizes:

- 45cm x 45cm
- 45cm x 45cm

Accessories:

- 571 De-Flex™ Safety Ramp Nitrile



Ergonomic, Anti-fatigue & Safety Matting - Dry Areas Modular Matting De-Flex™ Nitrile

General

Brand	Notrax
Category	Dry Areas Modular Matting
Product Number	572
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	De-Flex™ Nitrile
Recommended use	For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms
Series	De-Flex®
Shipping Location	Barendrecht 2992SB, NL, Chicago, IL 60638, US
Type	Dry Areas - Heavy Duty Modular Rubber Mats
Update trigger	20210310-1301
Usage Intensity	Heavy duty

Sustainability

Reach	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
-------	---

Tests

Fire rating US	Pass
Hardness	69 Shore A
Slip Rating	R10
Surface Flammability	Pass

Technical Specifications

Application	Dry industrial environments
Edges	Attachable bevelled edges are available
Material	100% Nitrile rubber
Material Group	Nitrile rubber
Process	Compression Moulding

De-Flex™ Nitrile Black

Art. nr.	Dimension (cm)	Weight (kg)	Height (cm)
572B1818BL	45cm x 45cm	26.4	1.9
572S1818BL	45cm x 45cm	3.3	1.9

Accessories

571 De-Flex™ Safety
Ramp Nitrile