

Freeze Protected Safety Shower with Eye/Face Wash

Freeze Protected Safety Shower with Eye/Face Wash



Freeze Protected Safety Shower with Eye/Face Wash

Indoor Emergency Safety Showers -

Floor mounted trace tape heated emergency safety shower with eye/face wash unit. Eye/face wash orientation can be varied to suit clients' requirements.

- Rated for use in ATEX Zone 1 & 2. Gas Group IIC, temp Class T5/6. Dust group IIC and temp class T85/100
- Corrosion resistant polyethylene outer jacket withstands harsh environments.
- Polyurethane foam provides maximum insulation
- Integral lid connects to water valve for automatic operation when the lid is pulled down
- Lid ensures the bowl remains clean and free from contamination
- Pull handle activation, or for hands-free operation an optional foot treadle is available

- For emergency response in case of chemical exposure, splashes or spills to immediately decontaminate by rapidly rinsing personnel thereby reducing the chance of injuries and long term damage, and minimizing chemical contamination risks for those working with hazardous materials in industries laboratories, chemical and pharma.

Recommended use

Indoor Emergency Safety Showers - Freeze Protected Safety Shower with Eye/Face Wash

General

Brand	Hughes
Product Number	AH5G45G
Product Family	Safety Showers & Eyewashes
Product Group	Indoor Emergency Safety Showers
Product Name	Freeze Protected Safety Shower with Eye/Face Wash
Recommended use	For emergency response in case of chemical exposure, splashes or spills to immediately decontaminate by rapidly rinsing personnel thereby reducing the chance of injuries and long term damage, and minimizing chemical contamination risks for those working with hazardous materials in industries laboratories, chemical and pharma.
Shipping Location	Stockport, United Kingdom, Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Update trigger	20210310-1301

Outdoor trace tape heated stainless steel combination safety shower - Stainless Steel

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Description	Total height	Weight in kg
HS0545GS	EXP-AH-5GS/45G	EXP-AH-5GS/45G SHOWER MOUNT	88.5x34x232	25